

AUSTIN
DALLAS
HOUSTON
LONDON
MOSCOW
NEW YORK

BAKER & BOTTS
L.L.P.
THE WARNER
1299 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, D.C. 20004-2400

TELEPHONE: (202) 639-7700
FACSIMILE: (202) 639-7890

July 22, 1999

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket Number: 064727.0105
First Named Inventor: Allan William CRIPPS, et al.
Title: ANTIGEN

TO: **BOX PATENT APPLICATION**
Assistant Commissioner for Patents
U.S. Patent and Trademark Office
Washington, D.C. 20231

Sir:

Attached are the following for filing with the U.S. Patent and Trademark Office:

1. ☒ Fee Transmittal Form (original and duplicate)
2. ☒ Specification - Total Pages: 21 (Including Abstract)

CLAIMS AS FILED						
	Claims Filed	Basic Fee Claims	Extra	Rate		Amount
				Large Entity	Small Entity	
Total Claims	35	20	15	\$ 18.00	\$ 9.00	\$ 270.00
Independent Claims	3	3	0	\$ 78.00	\$ 39.00	\$ 0.00
First Presentation of Multiple Dependent Claims				\$ 260.00	\$ 130.00	\$ 0.00
BASIC FEE				\$ 760.00	\$ 380.00	\$ 760.00
TOTAL FILING FEE						\$ 1030.00

3. ☒ Drawings - Total Sheets: 1 (Fig(s). 1)
4. Oath or Declaration - Total Pages: 3
 - a. ☐ Newly executed (original or copy)
☒ New (unexecuted)
 - b. ☐ Copy from a prior application
(for continuation/divisional with Box 17 completed)


- i. ☐ DELETION OF INVENTOR(s):
Signed statement attached deleting inventor(s) named in prior application.
5. ☐ Incorporation By Reference (useable if Box 4b is marked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies
8. ☐ Assignment and Assignment Recordation Form
9. ☐ 37 C.F.R. 3.73(b) Statement ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement with PTO-1449
- ☐ Copies of Information Disclosure Statement Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard
14. ☐ Small Entity Statement(s) ☐ Independent Inventor
☐ Small Business Concern
☐ Non-Profit Organization
- ☐ Statement Filed in Prior Application; Status Still Proper and Desired
15. ☒ Foreign Priority is Claimed as Follows:
Great Britain Patent Application No. 9701489.8 filed January 24, 1997
- ☐ If Foreign Priority is Claimed, Certified Copy of the Above Priority Document(s) is Submitted Herewith
16. ☐ Other: _____

July 22, 1999

Page 3

17. ☐ Continuation ☐ Divisional ☒ Continuation-in-Part
of Prior Application No.: **PCT/GB98/00217 filed January 26, 1998**
- ☐ Complete Application Based on Provisional Application No.: _____
18. ☐ A new power of attorney or authorization of agent (PTO/SB/81) is as follows:
- ☐ The power of attorney is to
- ☐ Please remove as power of attorney:
- ☐ Please add as power of attorney
19. Please address all correspondence to: Attention: Laurence H. Posorske
Baker & Botts, L.L.P.
The Warner, Suite 1300
1299 Pennsylvania Avenue, N.W.
Washington, D.C. 20004-2400
20. ☐ The Commissioner is hereby authorized to charge any variance between the amount enclosed and the Patent Office charges to **Deposit Account No. 02-0375**.

Respectfully submitted,

By: 
Laurence H. Posorske
Registration No. 34,698

Enclosures

ANTIGEN

The present invention relates to a novel antigen from *Pseudomonas aeruginosa*, its use in medicine, particularly in the preparation of vaccines and in diagnosis.

5

P. aeruginosa is a Gram-negative aerobic motile bacterium with the form of rods. It is an environmentally ubiquitous, extracellular, opportunistic pathogen that causes significant morbidity and mortality in compromised subjects. Infection is of particular significance in subjects with cystic fibrosis, burns, chronic bronchitis, bronchiectasis and cancer.

10

Identification of immune responses, the search for vaccine candidates and suitable components for diagnostic tests have focused on components of *P. aeruginosa*. The outer membrane of *P. aeruginosa* contains toxins, including the lipopolysaccharide endotoxin, phospholipid and proteins. The various outer membrane proteins (Opr) of *P. aeruginosa* have been assigned an alphabetical naming system. While several proteins have been characterised by this scheme, the expression of some is only transient and highly dependent upon nutrient availability, culture conditions and the presence of antibiotics. Presently, three major Oprs, designated F, H2 and I, are recognised as antigenically common to and expressed in high copy numbers in all strains of *P. aeruginosa*.

15

20

25

We have now identified a protein from an outer membrane preparation of *P. aeruginosa*, which we have designated Pa60. The amino-terminal sequence of this protein does not demonstrate any sequence homology with other previously characterised proteins (GenBank data search). This protein is antigenic and is capable of inducing a protective immune response resulting in enhanced clearance of *P. aeruginosa*.

30

35

Thus, in a first aspect the present invention provides a protein antigen from *P. aeruginosa* and having a molecular weight in the range of about 60kDa to about 65kDa, as determined by SDS-PAGE.

5

In a preferred embodiment the protein has the following N-terminal sequence:

?-E-E-K-?-?-L-?-?- ?- ?- ?- ?- V- V- ?- N- A; and preferably:

10 ?-E-E-K-T-P-L-T-T- A- A- ?- A- P- V- V- ?- N- A.

Parts or fragments of the whole protein may themselves be antigenic and thus, in a second aspect, the present invention provides an antigenic fragment of the protein of the invention. In particular, the antigenic fragment will comprise the N-terminal sequence as described above.

15

The skilled man will appreciate that some variation in the sequence of fragments will be possible, while still retaining antigenic properties. Methods well known to the skilled man can be used to test fragments and/or variants thereof for antigenicity. Such variants also form part of the invention.

20

The antigenic protein, or fragments thereof, of the present invention can be provided alone, as a purified or isolated preparation, or as part of a mixture with other *P. aeruginosa* antigenic proteins.

25

In a third aspect, therefore, the invention provides an antigen composition comprising one or more proteins of the invention and/or one or more antigenic fragments thereof. Such a composition can be used for the detection and/or diagnosis of *P. aeruginosa*. In one embodiment the composition comprises one or more additional *P. aeruginosa* antigens.

30

35

In a fourth aspect, the present invention provides a method of detecting and/or diagnosing *P. aeruginosa* which comprises:

- 5 (a) bringing into contact an antigenic protein, or antigenic fragment thereof, or an antigen composition of the invention with a sample to be tested; and
- 10 (b) detecting the presence of antibodies to *P. aeruginosa*.

15 In particular, the proteins, antigenic fragment thereof or antigen composition of the invention can be used to detect IgG antibodies. Suitably, the sample to be tested will be a biological sample, e.g. a sample of blood or saliva.

20 In a fifth aspect, the invention provides the use of an antigenic protein, antigenic fragment thereof or antigenic composition of the present invention in detecting and/or diagnosing *P. aeruginosa*. Preferably, the detecting and/or diagnosing is carried out *in vitro*.

25 The antigenic protein, antigenic fragment thereof or antigen composition of the invention can be provided as part of a kit for use in *in vitro* detection and/or diagnosis of *P. aeruginosa*. Thus, in a sixth aspect, the present invention provides a kit for use in the detection and/or diagnosis of *P. aeruginosa* comprising an antigenic protein, antigenic fragment thereof or antigen composition of the invention.

30

35 In addition, the antigenic protein or antigenic fragment thereof of the invention can be used to induce an immune response against *P. aeruginosa*. Thus, in a further aspect, the present invention provides the use of an

antigen of the invention, a fragment thereof or an antigenic composition of the invention in medicine.

5 In yet a further aspect the present invention provides a composition capable of eliciting an immune response in a subject which comprises a protein or one or more antigenic fragments thereof of the invention. Suitably, the composition will be a vaccine composition, optionally comprising one or other suitable adjuvants. Such a
10 vaccine composition may be either a prophylactic or therapeutic vaccine composition.

The vaccine compositions of the invention can include one or more adjuvants. Examples of adjuvants well known in
15 the art include inorganic gels such as aluminium hydroxide or water-in-oil emulsions such as incomplete Freund's adjuvant. Other useful adjuvants will be well known to the skilled man.

20 In yet further aspects, the present invention provides:

(a) the use of a protein or one or more antigenic fragments thereof of the invention in the preparation of an immunogenic composition,
25 preferably a vaccine;

(b) the use of such an immunogenic composition in inducing an immune response in a subject; and

30 (c) a method for the treatment or prophylaxis of *P. aeruginosa* infection in a subject, which comprises the step of administering to the subject an effective amount of a protein, at least one antigenic fragment or an antigen composition of the
35 invention, preferably as a vaccine.

Preferred features of each aspect of the invention are as

for each other aspect *mutatis mutandis*.

The invention will now be described with reference to the following example which should not be construed as limiting the invention in any way.

The examples refer to the figure in which:

FIGURE 1: shows SDS-PAGE analysis of Pa60.

EXAMPLE 1: Protein Purification

Pseudomonas aeruginosa bacteria, strain 385 (Pa385), were harvested from overnight culture of 100 agar plates by scraping the plates followed by washing twice by centrifugation at 10,000 x g for 10min at 4°C. A crude outer membrane preparation was obtained by extraction of the outer membrane component with buffered Zwittergent 3-14 detergent and ethanol precipitation.

The outer membrane extract was lyophilised and resuspended in starting buffer (20mM Tris, pH8.5). This preparation was subjected to anion exchange chromatography using a Q2 column (BioRad) and a sodium chloride gradient to elute the proteins. The fractions eluted from the column were initially assessed for protein content by analytical SDS-PAGE. From this was determined the elution of profile for Pa60 allowing fractions containing Pa60 to be collected from subsequent runs for further purification. These fractions were dialysed against distilled water, lyophilised, resuspended in a minimal amount of distilled water and further dissolved in 4 times the volume of sodium dodecyl sulphate (SDS) reducing buffer (62.5mM Tris, pH6.8, 10% (v/v) glycerol, 2% (w/v) SDS, 5% (v/v) β -mercaptoethanol, $1.2 \times 10^{-3}\%$ (w/v) bromophenol blue). The SDS preparation

was incubated at 37°C for at least 30min prior to being loaded onto the stacking gel of the electrophoresis column.

5 Pa60 was purified using preparative polyacrylamide electrophoresis (PAGE). Preparative SDS-PAGE was performed using the BioRad model 491 Prep Cell using a 9% T-1.42% C acrylamide/BIS (N,N'-methylene-bisacrylamide) separating gel with a 10ml 4% T-0.36% C acrylamide/BIS
10 stacking gel polymerised in a 28mm (internal diameter) column. Fractions eluted from the column were concentrated by lyophilisation and analysed for protein content by analytical SDS-PAGE. Pa60 isolated using these conditions contained SDS which was subsequently removed
15 by potassium phosphate precipitation. fractions containing Pa60 were pooled and dialysed prior to determination of protein concentration.

Analytical identification of the protein was performed by
20 analytical SDS-PAGE using either gradient 10-15% or homogenous 12.5% acrylamide gels and coomassie or silver stained. Protein concentration was determined using the Pierce micro BCA assay.

25 Results

Pa60 was successfully separated from other *P. aeruginosa* proteins by the described method. Figure 1 shows the position of this protein on SDS-PAGE.

30 EXAMPLE 2: N-terminal sequencing of Pa60

Pa60 was prepared for N-terminal amino acid analysis by excising the region containing the protein from an SDS-PAGE gel. The gel segments were sent to both the Biomolecular resource facility, Australian National
35 University, Canberra, Australia and MUCAB Services, Macquarie University, North ryde, NSW, Australia.

Results

An N-terminal amino acid sequence was obtained which identified sixteen of the first nineteen amino acids. Possible amino acids were identified for the remaining residues and where there was uncertainty with a probable identification.

SEQUENCE:

	1	2	3	4	5	6	7	8	9	10
Definite		E	E	K			L			
10 Probable					T	P		T	T	A
Possible	S				A	L/S		A	I/D	W
	11	12	13	14	15	16	17	18	19	
Definite					V	V		N	A	
Probable	A			A	P					
15 Possible	F/L	G/S	N	D						

This provides a sequence with the following definite amino acids:

1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19
 20 ?-E-E-K-?-?-L-?-?- ?- ?- ?- ?- ?- V- V- ?- N- A

If one includes probable amino acids the following sequence is obtained:

1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19
 25 ?-E-E-K-T-P-L-T-T- A- A- ?- A- P- V- V- ?- N- A

EXAMPLE 3: Bacterial clearance following immunisation in a rat model

Specific pathogen free male rats received an intra-Peyer's patch (IPP) immunisation on day 1 and the live bacterial challenge on day 14. The animals were sedated by anaesthesia. The small intestine was exposed through a mid-line abdominal incision and the antigen injected subserosal to each Peyer's patch using a 27-gauge needle.

35 The immunisation protein (Pa60) was prepared by emulsification of 200 or 800µg of protein per ml in a 1:1 ratio of Incomplete Freund's adjuvant (IFA) and phosphate

buffered saline (PBS) and a total inoculum of 10 or 40µg of protein respectively was administered to each animal. Animals were challenged for 4 hours with live bacteria (bacteria count 5×10^8 CFU) 14 days after the immunisation. Bacteria were grown overnight at 37°C in 5% CO₂ on nutrient agar plates, recovered, washed and resuspended in PBS to the required concentration. Bacteria were introduced into the lungs via an intra-tracheal cannula and 4 hours later the rats were euthanased. Blood was collected and aliquots of serum stored at -20°C for antibody analysis. Lungs were lavaged by flushing with 5 x 2ml of PBS and the pooled lavage (BAL) assessed for bacteria numbers. Following lung lavage, the lungs were removed, homogenised and assessed for numbers of bacteria. Cytospin slides were prepared for determination of differential cell counts in the lung lavage. total cell numbers present in the lung lavage were calculated by staining with trypan blue and counting using a haemocytometer.

Results

Rats immunised with Pa60 and challenged with live bacteria of the Pa385 homologous strain on day 14 showed an enhancement of bacterial clearance. Rats immunised with both 10µg or 40µg Pa60 had fewer bacteria recovered in both the BAL and lung than the non-immune group after 4 hours (Table 1).

Greater numbers of phagocytic cells were present in the BAL of Pa60-immunised animals and correlated with the enhanced bacterial clearance in these animals (table 2).

Table 1: Pulmonary clearance following Pa60 immunisation and challenge with *P. aeruginosa* (strain 385)

RAT GROUP	n ^b	<i>P. aeruginosa</i> recovered 4h post-challenge (log ₁₀ CFU) ^a	
		BAL	LUNG HOMOG.
NON-IMMUNE	5	7.63±0.11	8.66±0.18
10µg Pa60	6	6.95±0.07	8.43±0.09
40µg Pa60	4	7.19±0.07	8.37±0.19

Table 2: Cell count of Phagocytes in BAL following bacterial challenge

ANIMAL GROUP	TOTAL PHAGOCYTIC CELLS IN BAL
NON-IMMUNE	1.2 (±0.3) x 10 ⁶
10µg Pa60	4.3 (±1.2) x 10 ⁶
40µg Pa60	7.4 (±1.7) x 10 ⁶

EXAMPLE 4: clinical diagnostic study

Children from the Royal Children's Hospital in Melbourne that had been diagnosed with cystic fibrosis provided samples for this study. Bronchoalveolar lavage (BAL) and serum were collected over a 3-4 year period from patients from the time of diagnosis as an infant. The samples were divided into groups based on clinical status of *P. aeruginosa*.

Group 1: Non-cystic fibrosis controls (age matched children with Stridor);

Group 2: Negative for *P. aeruginosa*;

Group 3: Upper respiratory tract isolation of *P. aeruginosa*, negative *P. aeruginosa* in lower respiratory tract;

Group 4: Cleared *P. aeruginosa* in the lower respiratory tract (negative in the next BAL sample); and
 Group 5: Positive for *P. aeruginosa* in consecutive BAL samples.

5

An enzyme linked immunosorbent assay (ELISA) was used to measure antibodies to Pa60 in BAL and serum samples. Polysorb microtitre wells were coated with purified Pa60 at a concentration of 1µg per ml. The plates were washed
 10 five times in PBS containing 0.05% tween 20 between incubation steps. The wells were blocked with skim milk in PBS-0.05% Tween 20 for 60 min. Wells were incubated for 90 min with serum or BAL samples that were diluted in blocking buffer for analysis. Conjugated immunoglobulins
 15 used were rabbit anti-human IgG, IgA and IgM and wells were incubated with conjugated immunoglobulins for 90 min. The plates were then developed. Human IgG, IgA and IgM were used to quantitate the antibody.

20

Results

An increase in antibody titre was observed as the incidence of infection with *P. aeruginosa* occurred. The non-cystic fibrosis control group and the non-infected cystic fibrosis patients had negligible titre to Pa60.
 25 Increased titres of IgG to Pa60 were observed, particularly in the patients with consecutive *P. aeruginosa* culture from the BAL (Group 5). In the BAL a significant increase in IgA titre was observed.

30

35

Table 3: Pa60-specific Antibody in Serum and Bronchoalveolar lavage from cystic fibrosis and non-cystic fibrosis children

PATIENTS	SERUM ^a			BAL ^a		
	IgG	IgA	IgM	IgG	IgA	IgM
GROUP 1	1.74	0.11	0.67	0.03	0.05	0.02
GROUP 2	1.40	2.34	2.10	0.03	0	0.02
GROUP 3	7.08 ±8.4	10.9 ±18	2.03 ±2.5	0.03 ±0.01	0.21 ±0.13	0.03 ±0.01
GROUP 4	18.9 ±21.9	0.56 ±0.6	1.46 ±2.07	0.02 ±0.01	0.12 ±0.04	0.01 ±0.01
GROUP 5	54.5 ±76	7.5 ±12.5	6.2 ±0.5	0.03 ±0.01	0.81 ±0.30	0.03 ±0.01

5

10

EXAMPLE 5:

Pulmonary Challenge of rats with *Pseudomonas aeruginosa* following mucosal immunisation with Pa60.

5

DA rats were immunised with Pa60 such that they received 10µg Pa60 administered to intestinal Peyer's Patches (IPP). The Pa60 was delivered emulsified in Incomplete Freund's adjuvant. Fourteen days post-IPP, all the immunised rats received an intra tracheal (IT) boost with 10µg Pa60 in phosphate buffered saline. Seven days post-IT boost, the immunised group and an untreated control group were challenged via IT administered of 5×10^8 CFU live *P. aeruginosa*. The rats were killed and samples collected for analysis at 4h post-challenge.

10

Results

15

Bacterial Clearance

Bacterial recovery in bronchoalveolar lavage (BAL) and lung tissue

20

<u>Bacterial Recovery (log₁₀ CFU)*</u>			
Group	n+	BAL	Lung
Non-immune	5	7.92 ± 0.11	9.01 ± 0.15
10µg Pa60	5	6.34 ± 0.08	7.58 ± 0.08

25

* Data expressed as mean ± S.E.M.

+ number of animals

Rats immunised IPP with an IT boost at day 14 significantly cleared the *P. aeruginosa*

from both the BAL and lung tissue.

White Cell Recruitment to Infection

5 White cell count in BAL

	Group	n	White cell count*
			$\times 10^6$
	non-immune	5	6.8 ± 1.4
10	10 μ g Pa60	5	36.0 ± 5.0

* data represents mean \pm S.E.M.

15 Rats immunised with Pa60 more rapidly recruited white cells to the lungs following bacterial challenge. Nearly all the white cells recovered in the BAL were either polymorphonuclear neutrophils (PMNs) or macrophages. The early recruitment of white cells to the bronchoalveolar spaces correlated with bacterial clearance.

Antibody Responses

20

Antibody in serum and BAL following mucosal immunisation with Pa60

Antibody in Serum

	Group	n	Antibody in Serum		
			IgG*	IgA*	IgM*
	non-immune	5	0	0	14.8 ± 0.56
	10 μ g Pa60	5	1310 ± 119	10 ± 2	100 ± 59

* IgG, IgA and IgM expressed as Elisa units

Serum antibody to Pa60 was detected in immunised rats. There were significant titers of IgG, IgA and IgM.

5

Antibody in BAL

	Group	n	IgG*	IgA*	IgM*
10	non-immune	5	1.5 ± 0.2	0	0.5 ± 0.02
	10 μ g Pa60	5	21.3 ± 2.6	7.8 ± 4.2	0.8 ± 0.3

* IgG, IgA and IgM expressed as Elisa units

15 Antibody to Pa60 was detected in the BAL in immunised animals. There were significant titers of both IgG and IgA specific for Pa60.

In a particular embodiment, this invention provides a kit for detection or diagnosis of *P. aeruginosa* in a sample from a patient. The kit contains at least one or more antigens or antigenic fragments according to this invention, along with the means to detect binding between the antigens or fragments and antibodies which specifically bind such antigens or fragments. Selection of suitable means for detecting antigen-antibody binding is easily within the skill of the ordinary worker in this art, and include primary and/or secondary labeled antibodies to IgG from humans or other mammals, and/or other known materials for sandwich assays, ELISA assays, competitive immunoassays, and other well known immunometric assay formats.

In yet another particular embodiment, this invention provides a method for diagnosing *P. aeruginosa* in a subject suffering from cystic fibrosis. This method comprises bringing into contact one of the proteins, antigenic fragments or antigen compositions disclosed in this invention with a biological sample obtained from a subject with cystic fibrosis. The biological sample is preferably a sample of mucous, e.g. saliva. This method further comprises detecting the presence of antibodies to *P. aeruginosa* in such a sample by, for example, detecting binding between the antigens or fragments and antibodies which specifically bind such antigens or fragments, using detection means which are of common knowledge to those of skill in the art.

CLAIMS:

1. An outer membrane protein antigen from *P. aeruginosa* having a molecular weight in the range of about 60kDa to about 65kDa, as determined by SDS-PAGE.

2. The protein of claim 1 having the following N-terminal sequence:

Xaa Glu Glu Lys Xaa Xaa Leu Xaa Xaa Xaa Xaa Xaa Xaa Xaa
Val Val Xaa Asn Ala.

3. An outer membrane protein antigen from *P. aeruginosa* having a molecular weight in the range of about 60kDa to about 65kDa, as determined by SDS-PAGE, which has the following N-terminal sequence:

Xaa Glu Glu Lys Thr Pro Leu Thr Thr Ala Ala Xaa Ala Pro
Val Val Xaa Asn Ala.

4. An antigenic fragment of the protein defined in claim 1.

5. The antigenic fragment of claim 4 comprising the sequence:

Xaa Glu Glu Lys Xaa Xaa Leu Xaa Xaa Xaa Xaa Xaa Xaa Xaa
Val Val Xaa Asn Ala.

6. An antigenic fragment of the protein defined in claim 3.

7. An antigen composition comprising the protein defined in claim 1.

8. An antigen composition comprising the antigenic fragment defined in claim 6.

9. The antigen composition of claim 7 which further comprises one or more other *P. aeruginosa* antigens.

10. A method of detecting or diagnosing *P. aeruginosa* comprising:

(a) bringing into contact the protein defined in claim 1 with a sample to be tested: and

(b) detecting the presence of antibodies to *P. aeruginosa*.

11. The method of claim 10 wherein the sample is a sample of mucous or saliva.

12. The method of claim 11 wherein the sample is from a subject suffering from cystic fibrosis.

13. The method of claim 10 wherein the detecting or diagnosing is carried out *in vitro*.

14. A method of detecting or diagnosing *P. aeruginosa* comprising:

(a) bringing into contact the antigenic fragment defined in claim 5 with a sample to be tested: and

(b) detecting the presence of antibodies to *P. aeruginosa*.

15. The method of claim 14 wherein the sample is a sample of mucous or saliva.

16. The method of claim 16 wherein said method is used to detect or diagnose *P. aeruginosa* in a subject suffering from cystic fibrosis.

17. The method of claim 16 wherein the detecting or diagnosing is carried out *in vitro*.

18. A kit for use in the detecting or diagnosing of *P. aeruginosa* comprising the protein defined in claim 2.

19. A kit for use in the detecting or diagnosing of *P. aeruginosa* comprising the antigenic fragment defined in claim 4.

20. A kit for use in detecting or diagnosing of *P. aeruginosa* comprising the antigen composition defined in claim 7.

21. A composition capable of eliciting an immune response in a subject comprising the protein defined in claim 1.

22. A composition capable of eliciting an immune response in a subject comprising the antigenic fragment defined in claim 5.

23. A composition capable of eliciting an immune response in a subject comprising the antigen composition defined in claim 8.

24. The composition of claim 21 which is a vaccine composition.

25. The composition of claim 22 which is a vaccine composition.

26. The composition of claim 23 comprising one or more adjuvants.

27. The composition of claim 24 comprising one or more adjuvants.

28. A method for the treatment or prophylaxis of *P. aeruginosa* infection in a subject, comprising the step of administering to the subject an effective amount of the protein defined in claim 1.

29. The method of claim 28 wherein the subject is suffering from cystic fibrosis.

30. A method for the treatment or prophylaxis of *P. aeruginosa* infection in a subject, comprising the step of administering to the subject an effective amount of the antigenic fragment defined in claim 4.

31. The method of claim 30 wherein the subject is suffering from cystic fibrosis.

32. A method for the treatment or prophylaxis of *P. aeruginosa* infection in a subject, comprising the step of administering to the subject an effective amount of the antigen composition defined in claim 21.

33. The method of claim 32 wherein the subject is suffering from cystic fibrosis.

34. A method for the treatment or prophylaxis of *P. aeruginosa* infection in a subject, comprising the step of administering to the subject an effective amount of the antigen composition defined in claim 23.

35. The method of claim 34 wherein the subject is suffering from cystic fibrosis.

ABSTRACT

5 A novel antigen from *P. aeruginosa* is provided. The use of the antigen in
 detecting/diagnosing *P. aeruginosa* as well as its use in eliciting an immune response
 are also provided.

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000




FIG. 1

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship is as stated below next to my name;

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

ANTIGEN

the specification of which: ☒ is attached hereto.
☐ was filed on:
as Application No.:
and was amended on _____ (if applicable).

I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56.

Prior Foreign Application(s)

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Country	Application Number	Date of Filing (day, month, year)	Date of Issue (day, month, year)	Priority Claimed	
Great Britain	9701489.8	01/24/97	Pending	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
				Yes <input type="checkbox"/>	No <input type="checkbox"/>
				Yes <input type="checkbox"/>	No <input type="checkbox"/>

Prior Provisional Application(s)

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below:

Application Number	Date of Filing (day, month, year)

Prior United States Application(s)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as

defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Number	Date of Filing (day, month, year)	Status - Patented, Pending, Abandoned
PCT/GB98/00217	January 26, 1998	Pending

And I hereby appoint, both jointly and severally, as my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith the following attorneys, their registration numbers being listed after their names:

Rodger L. Tate, Registration No. 27,399; Scott F. Partridge, Registration No. 28,142; Jerry W. Mills, Registration No. 23,005; James Remenick, Registration No. 36,902; James B. Arpin, Registration No. 33,470; Laurence H. Posorske, Registration No. 34,698; Floyd B. Chapman, Registration No. 40,555; Robert A. King, Registration No. 42,738; William F. Nixon, Registration No. 44,262; Andrew D. Skale, Registration No. 44,338; Robert L. Troike, Registration No. 24,183; Jay M. Cantor, Registration No. 19,906; and Jay B. Johnson, Registration No. 38,193.

All correspondence and telephone communications should be addressed to: Laurence H. Posorske, Esq., **Baker & Botts, L.L.P., The Warner, 1299 Pennsylvania Avenue, N.W., Washington, D.C. 20004-2400**, telephone number (202) 639-7700, facsimile number (202) 639-7890, which is also the address, telephone and facsimile numbers of each of the above listed attorneys.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine and imprisonment, or both, under 18 U.S.C. § 1001, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature _____ Date _____

Full Name of
First Inventor: CRIPPS Allan William
 (Family Name) (First Given Name) (Second Given Name)

Citizenship: Australia

Residence:

Post Office
Address: Same as above

Signature _____ Date _____

Full Name of
Second Inventor: CLANCY Robert Llewellyn
(Family Name) (First Given Name) (Second Given Name)

Citizenship: Australia

Residence:

Post Office
Address: Same as above

Signature _____ Date _____

Full Name of
Third Inventor: DUNKLEY Margaret
(Family Name) (First Given Name) (Second Given Name)

Citizenship: Australia

Residence:

Post Office
Address: Same as above

Signature _____ Date _____

Full Name of
Fourth Inventor: KYD Jannelle
(Family Name) (First Given Name) (Second Given Name)

Citizenship: Australia

Residence:

Post Office
Address: Same as above